



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2017 - December 31, 2017

Filing Confirmation Number: 0008062208

Filing Deadline: January 16, 2018

FRN: 0021937875

Filing Date: 01/15/2018 10:20 AM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Blue Jay Wireless LLC
Brand Names: <NA>
PO Box:
Street Address: 4240 International Parkway, Ste 140
City: Carrollton
State: TX
Zip Code: 75007

Contact Name: Robert young
Contact Phone: (972) 788-8860
Contact Fax: (972) 788-8860
Contact Email: ryoung@bluejaywireless.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.bluejaywireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Facebook, Youtube, Twitter, outbound calls, text messaging, inbound sales calls, website, 1-800 customer service calls.

Methodology for Functionality Levels

Blue Jay Wireless is not a manufacturer, we rely on the manufacturer to provide this information.

Report Remarks

N/A

You have reported the following handset model summary information.

Total number of handsets offered: 22

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	8	80%			2	20%	10
CDMA	6	100%					6
WCDMA	8	80%	1	10%	1	10%	10

You have reported the following handset model summary information.

Total number of handsets offered: 22

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
LTE	6	100%					6

Handset 1: Alcatel 1018B (Cinch)

Handset Maker

Alcatel

Handset Model Name

1018B (Cinch)

FCC ID

RAD556

Air Interfaces/Frequency Bands

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz WCDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Features / Mid-Tier

Remarks

Handset 2: Alcatel 2017B

Handset Maker

Alcatel

Handset Model Name

2017B

FCC ID

RAD506

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

1900 MHz LTE

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Features / Mid-Tier

Remarks

Handset 3: Alcatel 5017 4G**Handset Maker**

Alcatel

Handset Model Name**FCC ID**

5017 4G

2ACCJB011

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

1900 MHz LTE

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart phone

Remarks

Handset 4: Alcatel 5027 Dawn

Handset Maker

Alcatel

Handset Model Name

5027 Dawn

FCC ID

2ACCJB053

Air Interfaces/Frequency Bands

850 MHz WCDMA
1700 MHz WCDMA
1900 MHz WCDMA
1900 MHz LTE

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 5: Alcatel One Touch

Handset Maker

Alcatel

Handset Model Name

One Touch

FCC ID

RAD556

Air Interfaces/Frequency Bands

800 MHz GSM

900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Features / Mid-Tier

Remarks

Handset 6: BLU Dash JR

Handset Maker

BLU

Handset Model Name

Dash JR

FCC ID

YHLBLUDASHJR3G

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 7: Coolpad Rogue

Handset Maker

Coolpad

Handset Model Name

Rogue

FCC ID

R38YL3320A

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Smart phone

Remarks

Handset 8: Huawei Ascend II (M865)

Handset Maker

Huawei

Handset Model Name

Ascend II (M865)

FCC ID

QISM865

Air Interfaces/Frequency Bands

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz WCDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 9: Huawei Y538 UNION

Handset Maker

Huawei

Handset Model Name

Y538 UNION

FCC ID

QISY538

Air Interfaces/Frequency Bands

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz WCDMA

1900 MHz LTE

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 10: Kyocera S2151

Handset Maker

Kyocera

Handset Model Name

S2151

FCC ID

V65S2150A1

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Features / Mid-Tier

Remarks

Handset 11: Motorola XT1526 MOTO E

Handset Maker

Motorola

Handset Model Name

XT1526 MOTO E

FCC ID

IHDT56QC8, IHDT56QC7

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
1900 MHz LTE

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone

Remarks

Handset 12: Samsung B311

Handset Maker

Samsung

Handset Model Name

B311

FCC ID

A3LSMB311V

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Features / Mid-Tier

Remarks

Handset 13: Samsung M340

Handset Maker

Samsung

Handset Model Name

M340

FCC ID

A3LSPHM340

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart phone

Remarks

Handset 14: Samsung SGH-T199

Handset Maker

Samsung

Handset Model Name

SGH-T199

FCC ID

A3LSGHT199

Air Interfaces/Frequency Bands

850 MHz WCDMA
1700 MHz WCDMA
1900 MHz WCDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Features / Mid-Tier

Remarks

Handset 15: Samsung SPH-M820

Handset Maker

Samsung

Handset Model Name

SPH-M820

FCC ID

A3LSPHM820

Air Interfaces/Frequency Bands

850 MHz WCDMA
1700 MHz WCDMA
1900 MHz WCDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Features / Mid-Tier

Remarks

Handset 16: Unnecto Primo

Handset Maker

Unnecto

Handset Model Name

Primo

FCC ID

OLEU140

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 17: VORTEX BEAT

Handset Maker

VORTEX

Handset Model Name

BEAT

FCC ID

2ADLJBEAT

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Smart phone

Remarks

Handset 18: VORTEX IMAGE

Handset Maker

VORTEX

Handset Model Name

IMAGE

FCC ID

2ADLJZR1

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Basic

Remarks

Handset 19: VORTEX PROFILE

Handset Maker

VORTEX

Handset Model Name

PROFILE

FCC ID

2ADLJPROFILE

Air Interfaces/Frequency Bands

850 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Basic

Remarks

Handset 20: VORTEX Pulse

Handset Maker

VORTEX

Handset Model Name

Pulse

FCC ID

2ADLJPULSE

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Smart phone

Remarks

Handset 21: ZTE Z222**Handset Maker**

ZTE

Handset Model Name

Z222

FCC ID

Q78-Z222

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Basic

Remarks

Handset 22: ZTE Z667G

Handset Maker

ZTE

Handset Model Name

Z667G

FCC ID

SRQ-Z667T

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 01/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Smart phone

Remarks

Certification

This Report has been certified by:

Robert Young CEO
01/15/2018 10:20 AM

Reference Copy